

10/524062

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1541	(humidif\$7 WITH patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 14:40
L2	369	1 AND (temperature NEAR3 (sens\$3 OR detect\$3 OR measur\$5 OR gauge OR gage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 14:43
L3	134	2 AND (humidity NEAR3 (sens\$3 OR detect\$3 OR measur\$5 OR gauge OR gage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 14:43
L4	94	3 AND ((flow OR volum\$5) NEAR3 (sens\$3 OR detect\$3 OR measur\$5 OR gauge OR gage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 14:45
L5	93	4 AND control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 14:46
L6	93	5 AND (gas OR air OR oxygen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 14:46
L7	73	6 AND water	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 14:46

10/524062

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	1	(humidification AND patient AND humidity AND sens\$3 AND temperature AND flow AND control AND electrical AND input AND power AND stored AND instructions AND before AND entry).CLM.	US-PGPUB	OR	ON	2007/08/04 15:51